ΑD			

Award Number: W81XWH-09-2-0065

TITLE: Trial of Naltrexone and Dextromethorphan for Gulf War Veterans' Illness

PRINCIPAL INVESTIGATOR: William J. Meggs, M.D., Ph.D.

CONTRACTING ORGANIZATION: East Carolina University Greenville, NC 27834

REPORT DATE: July 2012

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release; Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
data needed, and completing a this burden to Department of D 4302. Respondents should be	and reviewing this collection of in Defense, Washington Headquart a aware that notwithstanding any	nformation. Send comments reg ers Services, Directorate for Info	arding this burden estimate or an ermation Operations and Reports on shall be subject to any penalty	y other aspect of this col (0704-0188), 1215 Jeffe	ning existing data sources, gathering and maintaining the llection of information, including suggestions for reducing rson Davis Highway, Suite 1204, Arlington, VA 22202-a collection of information if it does not display a currently	
1. REPORT DATE	2	2. REPORT TYPE		-	ATES COVERED	
July 2012		Annual			uly 2011 – 30 June 2012	
4. TITLE AND SUBTIT	LE			5a. 0	CONTRACT NUMBER	
Trial of Naltrexone and Dextromethorphan for Gulf War \			/eterans' Illness		GRANT NUMBER 1XWH-09-2-0065	
				5c. I	PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. l	PROJECT NUMBER	
William J. Meggs,				5e	TASK NUMBER	
Kori L. Brewer, Ph	.D., Allison Mainha	rt, B.S.				
				5f. V	VORK UNIT NUMBER	
E-Mail: meggsw@ecu						
7. PERFORMING ORG	SANIZATION NAME(S)	AND ADDRESS(ES)			ERFORMING ORGANIZATION REPORT UMBER	
Foot Carolina Univ	oroit.			N	UMBER	
East Carolina Univ						
Greenville, NC 278	034					
		AME(S) AND ADDRES	S(ES)	10. 9	SPONSOR/MONITOR'S ACRONYM(S)	
-	Research and Ma	teriel Command				
Fort Detrick, Mary	and 21702-5012					
				11. \$	SPONSOR/MONITOR'S REPORT	
				'	NUMBER(S)	
	VAILABILITY STATEM					
Approved for Publ	ic Release; Distribu	tion Unlimited				
13. SUPPLEMENTAR	VNOTES					
13. SUPPLEIVIENTAR	INOIES					
14. ABSTRACT						
					rom the Department of Defense	
		obtained in Februa	ry 2011. We are act	ively screening	and enrolling subjects and are	
very encouraged by the response.						
We anticipate that by the end of the current report period, we will have preliminary data.						
15. SUBJECT TERMS						
Gulf War Illness, naltrexone, dextromethorphan						
2 4.1. 1.14. 111.1000, 11	0.0110, do0111	orpriori				
46 SECURITY OF 500	NEICATION OF		47 LIBRITATION	40 NUMBER	400 NAME OF BEODONOIDI E BEDGO!	
16. SECURITY CLASS	DIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON USAMRMC	
- DEDORT	h ADOTDACT	- TIUC BACE	J. ABOTTAOT	5 AGEG		
a. REPORT	b. ABSTRACT	c. THIS PAGE		46	19b. TELEPHONE NUMBER (include area code)	
U	U	U	UU	ÁÂ		

Table of Contents

	<u>Page</u>
Introduction	5
Body	6
Key Research Accomplishments	7
Reportable Outcomes	7
Conclusion	7
References	7
Appendices	N/A

INTRODUCTION

Gulf war veterans' illnesses comprise distinct clusters of symptom-defined illnesses (1,2) for which there are neither diagnostic tests nor effective treatments. Gulf war veterans had variable exposures to a number of chemicals (3), including organophosphate insecticides, pyrethrum-related insecticides, DEET, Pyridostimine bromide, smoke from oil well fires, and Sarin gas. Gulf war veterans' illnesses may reflect an inflammatory cycle involving the brain which may be a common mechanism of many neurological conditions, whether initiated by toxic exposures, infection, or trauma. In this theory, central nervous system inflammation initiated by toxic exposures and sometimes exacerbated by subsequent exposures is a component of illness hypothesized to explain the neurological manifestations. Substance P release at sensory nerve endings is an explanation for the peripheral pain manifestations of illness.

This theory suggests that novel anti-inflammatory drugs may be of benefit in symptom-defined illnesses related to a cycle of inflammation. Dr. J. S. Hong's laboratory at the National Institute of Environmental Health Sciences has demonstrated that Morphine-related analogs, including Naltrexone and Dextromethorphan, have great potency in anti-inflammation and neuroprotective effects. Naltrexone is a safe and readily available generic medication. Dextromethorphan is also a safe and readily available generic medication that is available without a prescription as a cough medication. Results from several clinical trials showed that Naltrexone is effective in several inflammation-related diseases, such as neurogenic pain, movement disorders, etc. In addition, there were no obvious side effects in patients taking this drug for six months. This project is a randomized double-blinded studies for treating ill Gulf war veterans with Naltrexone and Dextromethorphan. Laboratory tests for markers of inflammation including neurogenic inflammation will be performed pre- and post-treatment, to see if these markers are elevated and if so, to see if treatment modulates these markers.

BODY

The major accomplishment of the past year was obtaining approval from the Department of Defense Institutional Review Board (DOD IRB) to modify the protocol to split the study into two sub-studies. The reason for this is that the original protocol required that veterans qualify to be enrolled in both the dextromethorphan arm and the naltrexone arm sequentially. A large number of screened veterans were only eligible to be enrolled in one or the other of the two arms due to their taking medications to treat Gulf War Illness which have drug interactions with one or the other study drug. This modification did not impact patient safety and could have been obtained by a one line addition to the protocol: "Subjects who only qualify to be enrolled in one arm of the study will only be enrolled in that arm."

While this may not seem a significant accomplishment, obtaining this approval proved to be a virtually impossible task. It took one year. After finally obtaining DOD approval, we then had to obtain approval for the changes from the East Carolina University Institutional Review Board (ECU IRB) and the United Stated Food and Drug Administration (US FDA) because the study drug dextromethorphan required and IND number.

After final approval was obtained, recruitment efforts became intensive.

KEY RESEARCH ACCOMPLISHMENTS

The most significant accomplishment during the past year was finally obtaining DOD IRB approval to enroll subjects in only one arm of the protocol if they only qualify for one arm. We are now vigorously at last pursuing the study. We have enrolled thirteen subjects in the naltrexone or dextromethorphan. We have one subject who has completed the dextromethorphan arm of the study and will soon complete the naltrexone arm. We have screened a number of other subjects who qualify and have expressed a desire to participate. They have been sent the consent form to review and discuss with relatives and treating physicians before giving consent.

REPORTABLE OUTCOMES

No data has been analyzed.

CONCLUSIONS

It is very difficult to get regulatory approval to conduct research, a two or more years must be allowed for this task. At last, we are actively enrolling subjects in the protocol and are encouraged at the response.

REFERENCES

- 1. Haley RW, Hom J. Is there a Gulf War Syndrome? Searching for syndromes by factor analysis of symptoms. JAMA. 1997;277:215-22. Erratum in: JAMA 1997 Aug 6;278(5):388.
- 2. Haley RW, Hom J, Roland PS, Bryan WW, Van Ness PC, Bonte FJ, Devous MD Sr, Mathews D, Fleckenstein JL, Wians FH Jr, Wolfe GI, Kurt TL. Evaluation of neurologic function in Gulf War veterans. A blinded case-control study. JAMA. 1997;277:223-30.
- 3. Haley RW, Kurt TL. Self-reported exposure to neurotoxic chemical combinations in the Gulf War. A cross-sectional epidemiologic study. JAMA. 1997:15;277:231-7.